

# ACCESS BOX - ZXTCFB2

## THE CAVITY FLOOR BOX SPECIALISTS



### SPECIFICATIONS

- ▶ Floor box manufactured from galvanised steel.
- ▶ 25 & 20mm knockouts punched to accept flexible conduit.
- ▶ Frame and lid moulded from high impact polycarbonate.
- ▶ Galvanised lid insert for strength.
- ▶ Easy grip recessed lifting handle.
- ▶ Compact design 215 x 191 floor cut-out.
- ▶ Clamp fixing for fast installation.
- ▶ Large range of accessory plates.
- ▶ Special plates available to order.

### Floor Box

Box Length: 245 x Width 200 x Depth 80mm  
Cut Out Length: 215 x Width 191mm


### Frame Lid

Frame Length: 225 x width 200mm  
Recess Depth: 6mm


### Accessories

2 Plate Length: 185.5 x Width 76.6mm

### DIMENSIONS




### 2 PLATE FITTINGS




**STO300**  
Twin Switched Power  
Points




**STO301**  
Blank Plate




**STO305**  
Double LJ6 68mm  
2 Facia Plate




**STO306**  
6x RJ45/LJ6C  
Data Plate



**STO302**  
RJ45/LJ6C Plate



**STO303**  
Alpha Snap Plate



**STO304**  
2 Euro Standard  
50x50mm Module Plate

# ACCESS BOX - ZXTCFB3S

## THE CAVITY FLOOR BOX SPECIALISTS



### SPECIFICATIONS

- ▶ Floor box manufactured from galvanised steel.
- ▶ 25 & 20mm knockouts punched to accept flexible conduit.
- ▶ Frame and lid moulded from high impact polycarbonate.
- ▶ Galvanised lid insert for strength.
- ▶ Easy grip recessed lifting handle.
- ▶ Compact design 266 x 212 floor cut-out.
- ▶ Clamp fixing for fast installation.
- ▶ Large range of accessory plates.
- ▶ Special plates available to order.

### Floor Box

Box Length: 274 x Width 242 x Depth 80mm  
Cut Out Length: 266 x Width 212mm



### Frame Lid

Frame Length: 272 x width 223mm  
Recess Length: 240 x width 150 x Depth 6mm


### Accessories

2 Plate Length: 185.5 x Width 114.4mm  
3 Plate Length: 185.5 x Width 76.6mm


### DIMENSIONS



**STO299**  
Blank Plate




**STO298**  
Twin Switched Power Points




**STO300**  
Twin Switched Power Points




**STO301**  
Blank Plate




**STO305**  
Double LJ6 68mm  
2 Facia Plate




**STO306**  
Standard Flush Switched  
Socket Plate




**STO307**  
Double LJ6 68mm  
2 Facia Plate



**STO302**  
RJ45/LJ6C Plate




**STO303**  
Alpha Snap Plate



**STO304**  
2 Euro Standard  
50x50mm Module Plate

# ACCESS BOX - ZXTCFB3L

## THE CAVITY FLOOR BOX SPECIALISTS



### SPECIFICATIONS

- ▶ Floor box manufactured from galvanised steel.
- ▶ 25 & 20mm knockouts punched to accept flexible conduit.
- ▶ Frame and lid moulded from high impact polycarbonate.
- ▶ Galvanised lid insert for strength.
- ▶ Easy grip recessed lifting handle.
- ▶ Compact design 225 x 305 floor cut-out.
- ▶ Designed to accept 3 or 4 accessory plates.
- ▶ Clamp fixing for fast installation.
- ▶ Large range of accessory plates.
- ▶ Special plates available to order.

### Floor Box

Box Length: 305 x Width 242 x Depth 74mm  
Cut Out Length: 305 x Width 225mm


### Frame Lid

Frame Length: 314 x width 232mm  
Recess Length: 284 x width 157 x Depth 6mm

### Accessories

3 Plate Length: 185.5 x Width 88.8mm  
4 Plate Length: 185.5 x Width 68.5mm


### DIMENSIONS




**ST0291**  
Twin Switched Power Points




**ST0283**  
Blank Plate




**ST0286**  
Double LJU3/4/5 Plate



**ST0284**  
RJ45/LJ6C Plate



**ST0288**  
Alpha Snap Plate



**ST0294**  
2 Euro Standard  
50 x 50mm Module Plate



**ST0287**  
Standard Twin  
Accessory Plate



**ST0290**  
Twin Switched Power Points



**ST0282**  
Blank Plate



**ST0285**  
RJ45/LJ6C Plate



**ST0288/4**  
Alpha Snap Plate